INDEX TO AUTHORS

A

Anderson, R. J. See *Creighton and Anderson,* 581
—. See *Creighton, Chang, and Anderson,* 569
—. See *Edens, Creighton, and Anderson,* 587
Archibald, Reginald M. The enzymatic determination of glutamine, 643
—. Preparation and assay of glutaminase for glutamine determinations, 657
—. See *Van Slyke and Archibald,* 623
Artom, Camillo. See *Fishman and Artom,* 109, 117
Auerbach, M. E., and **Eckert, H. William.** The photofluorometric determination of atabrine, 597

B

Baer, Erich, and **McArthur, C. S.** Phosphorylcholine, 451
Baldwin, A. Richard, and **Longenecker, Herbert E.** Component fatty acids of early and mature human milk fat, 255
Bellamy, W. D. See *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus,* 713
Bergmann, Max. See *Stein, Moore, and Bergmann,* 191
Beveridge, J. M. R., Lucas, Colin C., and **O'Grady, Marian K.** The effect of the nature and level of protein and amino acid intake upon the accumulation of fat in the liver, 9
Bloch, Konrad. See *Rittenberg and Bloch,* 311
Brand, Erwin. See *Ryan and Brand,* 161
Brown, J. B. See *Millican and Brown,* 437
Brown, Raymond A. See *Campbell, Brown, and Emmett,* 721
Brown, W. L. The tryptophane and tyrosine content of peanut proteins, 57
Bruce, W. F. See *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus,* 713

C

Cain, C. K. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade,* 475
Campbell, C. J., Brown, Raymond A., and **Emmett, A. D.** The rôle of crystalline vitamin B_c in the nutrition of the chick, 721
Campbell, W. Wesley. See *Tweedy and Campbell,* 339
Carroll, C. J. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade,* 475
Chaikoff, I. L. See *Morton, Chaikoff, and Rosenfeld,* 381
Chang, L. H. See *Creighton, Chang, and Anderson,* 569
Chargaff, Erwin. See *Cohen and Chargaff,* 691
Christensen, Halvor N. The configuration of valylvaline in gramicidin, 427
Cohen, Seymour S., and **Chargaff, Erwin.** Studies on the composition of *Rickettsia prowazeki,* 691
Cooper, Mitzi. See *Fraenkel-Conrat and Cooper,* 239
Coover, H. W., Jr. See *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus,* 713
Craig, Lyman C., Michaelis, Leonor, Granick, S., and **Jacobs, Walter A.** The aconite alkaloids. XV. The nature of the ring system and character of the nitrogen atom, 293
Creighton, M. M., and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. LXVIII. The lipids of cell residues from the preparation of tuberculin, 581

Creighton, M. M., Chang, L. H., and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. LXVII. The lipids of the human tubercle bacillus H-37 cultivated on a dextrose-containing medium, 569
—. See *Edens, Creighton, and Anderson*, 587

D

Dakin, H. D. Hydroxyleucines, 549
Dehlinger, Jean. See *Kalckar, Dehlinger, and Mehler*, 275
Doisy, Edward A. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade*, 475
Dunn, Max S. See *Schott, Rockland, and Dunn*, 397

E

Eckert, H. William. See *Auerbach and Eckert*, 597
Eckstein, H. C. See *Roberts and Eckstein*, 367, 377
Edens, Charles O., Creighton, M. M., and **Anderson, R. J.** The chemistry of the lipids of tubercle bacilli. LXIX. The composition of the acetone-soluble fat of cell residues from the preparation of tuberculin, 587
Edwards, Beatrice, and **Routh, Joseph I.** Chemical studies on powdered keratins, 593
Eichelberger, Lillian, and **Richter, Richard B.** Water, nitrogen, and electrolyte concentration in brain, 21
Eitingon, Irka V. See *Talbot and Eitingon*, 605
Elson, William O. The antagonistic effect of phospholipids on the antibacterial action of propamidine, 717
Emmett, A. D. See *Campbell, Brown, and Emmett*, 721
Evans, E. A., Jr. See *Silverman and Evans*, 521

F

Fishman, William H., and **Artom, Camillo.** The relation of the diet to the composition of tissue phospholipids. IV. The action of choline and choline precursors in weanling rats, 109
— and —. V. The action of choline, vitamins, amino acids, and their combinations in two month-old rats, 117
Folkers, Karl. See *Harris, Heyl, and Folkers*, 315
Foster, William C. See *McClendon and Foster*, 619
Fraenkel-Conrat, Heinz. The action of 1,2-epoxides on proteins, 227
— and **Cooper, Mitzi.** The use of dyes for the determination of acid and basic groups in proteins, 239
Free, Alfred H. See *Myers, Free, and Rosinski*, 39
Fulmer, W. C. See *Obermeyer, Fulmer, and Young*, 557

G

Gaby, W. L. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade*, 475
Gallagher, T. F. See *Potts and Gallagher*, 349
Gerard, R. W. See *Simon, Horwitt, and Gerard*, 421
Goodland, Ruth L. See *Sealock and Goodland*, 63
Granick, S. See *Craig, Michaelis, Granick, and Jacobs*, 293
Green, Morris N. See *Sevag and Green*, 719
Greenberg, Leon A., and **Lester, David.** A micromethod for the determination of acetone and ketone bodies, 177
Gunness, Marion. See *Stokes and Gunness*, 715
Gunsalus, I. C. See *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus*, 713
György, Paul, and **Tomarelli, Rudolph M.** Further observations on physiological antioxidants, 317

H

Haist, R. E. See *Hoar and Haist*, 331
Ham, Wendell E., and **Sandstedt, R. M.** A proteolytic inhibiting substance in

the extract from unheated soy bean meal, 505
Handler, Philip. The effect of excessive nicotinamide feeding on rabbits and guinea pigs, 203
Harris, Stanton A., Heyl, Dorothea, and **Folkers, Karl.** The structure and synthesis of pyridoxamine and pyridoxal, 315
Hays, Edwin E. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade,* 475
Heuser, G. F. See *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus,* 713
Heyl, Dorothea. See *Harris, Heyl, and Folkers,* 315
Hoar, W. S., and **Haist, R. E.** Amino acid nitrogen changes in shock, 331
Horowitz, N. H. The *d*-amino acid oxidase of *Neurospora,* 141
—. See *Srb and Horowitz,* 129
Horwitt, M. K. See *Simon, Horwitt, and Gerard,* 421

J

Jacobs, Walter A. See *Craig, Michaelis, Granick, and Jacobs,* 293
Johnson, Marvin J. See *Koepsell, Johnson, and Meek,* 535
Jones, L. R. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade,* 475

K

Kalckar, Herman M. Rejuvenation of phosphate in adenine nucleotides. I. Enzymatic methods for separation of phosphate groups in polyphosphorylated nucleotides, 267
—, **Dehlinger, Jean,** and **Mehler, Alan.** Rejuvenation of phosphate in adenine nucleotides. II. The rate of rejuvenation of labile phosphate compounds in muscle and liver, 275
Katzman, Philip A., Hays, Edwin E., Cain, C. K., Van Wyk, J. J., Reithel, F. J., Thayer, Sidney A., Doisy, Edward A., Gaby, W. L., Carroll, C. J., Muir, R. D., Jones, L. R., and **Wade, Nelson J.** Clavacin, an antibiotic substance from *Aspergillus clavatus,* 475
Kensler, C. J. See *Singher, Kensler, Levy, Poore, Rhoads, and Unna,* 69
—. See *Singher, Kensler, Taylor, Rhoads, and Unna,* 79
Kilmer, Glen W., and **du Vigneaud, Vincent.** A synthesis of methionine containing isotopic carbon and sulfur, 247
Koepfli, J. B. See *Mead and Koepfli,* 507
Koepsell, H. J., Johnson, Marvin J., and **Meek, J. S.** Rôle of phosphate in pyruvic acid dissimilation by cell-free extracts of *Clostridium butylicum,* 535

L

Lams, M. M. See *Theis and Lams,* 99
Lehninger, Albert L. The relationship of adenosine polyphosphates to fatty acid oxidation in homogenized liver preparations, 309
Lester, David. The non-appearance of salicylates in the urine after the administration of dicumarol, 305
—. See *Greenberg and Lester,* 177
Levatin, Paul. See *Powers and Levatin,* 207
Levy, H. See *Singher, Kensler, Levy, Poore, Rhoads, and Unna,* 69
Lewis, Howard B. See *Pedersen and Lewis,* 705
Lipmann, Fritz, and **Tuttle, L. Constance.** Keto acid formation through the reversal of the phosphoroclastic reaction, 725
—. See *Utter, Werkman, and Lipmann,* 723
Longenecker, Herbert E. See *Baldwin and Longenecker,* 255
Lucas, Colin C. See *Beveridge, Lucas, and O'Grady,* 9

M

McArthur, C. S. See *Baer and McArthur,* 451

McClendon, J. F. Microdetermination of volatile fatty acids in blood, 357
—and **Foster, William C.** Protein-bound iodine in erythrocytes and plasma, 619
Mead, James, and **Koepfli, J. B.** The structure of a new metabolic derivative of quinine, 507
Meek, J. S. See *Koepsell, Johnson, and Meek,* 535
Mehler, Alan. See *Kalckar, Dehlinger, and Mehler,* 275
Michaelis, Leonor. See *Craig, Michaelis, Granick, and Jacobs,* 293
Militzer, Walter E. The direct determination of 5-keto-D-gluconic acid, 325
Millican, R. Carl, and **Brown, J. B.** The isolation and properties of some naturally occurring octadecenoic (oleic) acids, 437
Moore, Stanford. See *Stein, Moore, and Bergmann,* 191
Morris, Daniel Luzon. The action of β-amylase on corn glycogen, 503
—. A method for the quantitative microdetermination of glucose and maltose in mixtures, 561
Morton, M. E., Chaikoff, I. L., and **Rosenfeld, S.** Inhibiting effect of inorganic iodide on the formation *in vitro* of thyroxine and diiodotyrosine by surviving thyroid tissue, 381
Muir, R. D. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade,* 475
Mundell, Dorothy B. See *Baer and McArthur,* 451
Myers, Victor C., Free, Alfred H., and **Rosinski, Ethelreda E.** Studies on animal diastases. VI. The determination of diastase (amylase) in blood, 39

N

Norris, L. C. See *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus,* 713

O

Obermeyer, H. G., Fulmer, W. C., and **Young, J. M.** Cocarboxylase hydrolysis by a wheat phosphatase, 557
O'Grady, Marian K. See *Beveridge, Lucas, and O'Grady,* 9

P

Pedersen, Svend, and **Lewis, Howard B.** The partition of urinary nitrogen after the oral administration of glutamic acid, pyrrolidonecarboxylic acid, proline, and hydroxyproline to rabbits, 705
Poore, E. See *Singher, Kensler, Levy, Poore, Rhoads, and Unna,* 69
Potts, Albert M., and **Gallagher, T. F.** Separation of oxytocic and pressor principles of posterior pituitary extracts, 349
Powers, Harry H., and **Levatin, Paul.** A method for the determination of oxalic acid in urine, 207

R

Ramsdell, G. A., and **Whittier, E. O.** Composition of casein in milk, 413
Reeves, Richard E. The optical activity of the copper complexes of polysaccharides and substituted methyl glucosides, 49
Regnery, David C. A *leucineless* mutant strain of *Neurospora crassa,* 151
Reithel, F. J. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade,* 475
Rhoads, C. P. See *Singher, Kensler, Levy, Poore, Rhoads, and Unna,* 69
—. See *Singher, Kensler, Taylor, Rhoads, and Unna,* 79
Richert, Dan A. Biological conversion of active non-quinones of vitamin K to the quinone form, 1
Richter, Richard B. See *Eichelberger and Richter,* 21
Riggs, Benjamin C. See *Stadie and Riggs,* 669, 687

Rittenberg, D., and **Bloch, Konrad.** The utilization of acetic acid for fatty acid synthesis, 311

Roberts, Eugene, and **Eckstein, H. C.** The creatine content of the gastrocnemius muscle of young male rats on diets varying in choline content, 377

— and —. Influence of some sulfur-containing compounds on liver lipid content of young white rats, 367

Rockland, Louis B. See *Schott, Rockland, and Dunn,* 397

Rogosa, M. Microbiological method for the quantitative determination of small quantities of potassium, 307

Roma, Michael. See *Eichelberger and Richter,* 21

Rosenfeld, S. See *Morton, Chaikoff, and Rosenfeld,* 381

Rosinski, Ethelreda E. See *Myers, Free, and Rosinski,* 39

Routh, Joseph I. See *Edwards and Routh,* 593

Ryan, Francis J., and **Brand, Erwin.** A method for the determination of leucine in protein hydrolysates and in foodstuffs by the use of a *Neurospora* mutant, 161

S

Sakami, Warwick, and **Wilson, D. Wright.** Studies on 1-methylhistidine. I. A synthesis of *dl*-1-methylhistidine, 215

— and —. II. A study of the metabolism of *dl*-1-methylhistidine in the albino rat, 223

Sandstedt, R. M. See *Ham and Sandstedt,* 505

Schott, Hermann F., Rockland, Louis B., and **Dunn, Max S.** Investigations of amino acids, peptides, and proteins. XVI. A source of error in the manometric ninhydrin method for the analysis of amino acids and its suppression by the use of hydrazine, 397

Schwimmer, Sigmund. Comparison of crude and purified preparations of a leucylpeptidase associated with beef muscle, 361

—. Regeneration of heat-inactivated peroxidase, 487

Scott, M. L., Norris, L. C., Heuser, G. F., Bruce, W. F., Coover, H. W., Jr., Bellamy, W. D., and **Gunsalus, I. C.** A new chick antianemic factor, 713

Sealock, Robert Ridgely, and **Goodland, Ruth L.** Interference in the determination of thiamine with the diazotized *p*-aminoacetophenone reagent, 63

Sevag, M. G., and **Green, Morris N.** The rôle of pantothenic acid in the synthesis of tryptophane, 719

Shahrokh, Bahman K. Modification of the chlorate digestion method for microdetermination of iodine in biological materials, 517

Silverman, Milton, and **Evans, E. A., Jr.** The effects of spermine, spermidine, and other polyamines on the growth inhibition of *Escherichia coli* by atabrine, 521

Simon, Frieda P., Horwitt, M. K., and **Gerard, R. W.** The inhibition of catalyzed oxidations by hemins, 421

Singher, H. O., Kensler, C. J., Levy, H., Poore, E., Rhoads, C. P., and **Unna, Klaus.** Interrelationship between thiamine and riboflavin in the liver, 69

—, —, **Taylor, H. C., Jr., Rhoads, C. P.,** and **Unna, Klaus.** The effect of vitamin deficiency on estradiol inactivation by liver, 79

Sizer, Irwin W. Temperature activation and inactivation of the crystalline catalase-hydrogen peroxide system, 461

Snell, Esmond E. The vitamin activities of "pyridoxal" and "pyridoxamine," 313

Srb, Adrian M., and **Horowitz, N. H.** The ornithine cycle in *Neurospora* and its genetic control, 129

Stadie, William C., and **Riggs, Benjamin C.** An apparatus for the determination of the gaseous metabolism of surviving tissues *in vitro* at high pressures of oxygen, 669

Stadie, William C., and **Riggs, Benjamin, C.** Microtome for the preparation of tissue slices for metabolic studies of surviving tissues *in vitro*, 687

Stein, William H., Moore, Stanford, and **Bergmann, Max.** Aromatic sulfonic acids as reagents for peptides. Partial hydrolysis of silk fibroin, 191

Stokes, Jacob L., and **Gunness, Marion.** Utilization of amino acid enantiomorphs by *Lactobacillus arabinosus* and *Lactobacillus casei*, 715

T

Talbot, Nathan B., and **Eitingon, Irka V.** Urinary steroids. Use of the periodic acid reaction in the measurement of non-ketonic steroids obtained after various types of hydrolysis, 605

Taylor, H. C., Jr. See *Singher, Kensler, Taylor, Rhoads, and Unna*, 79

Thayer, Sidney A. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade*, 475

Theis, Edwin R. The protein-formaldehyde reaction. I. Collagen, 87

— and **Lams, M. M.** The protein-formaldehyde reaction. II. Wool, 99

Tomarelli, Rudolph M. See *György and Tomarelli*, 317

Totter, John R. A convenient method for the preparation of synthetic xanthopterin, 105

Tuttle, L. Constance. See *Lipmann and Tuttle*, 725

Tweedy, Wilbur R., and **Campbell, W. Wesley.** The effect of parathyroid extract upon the distribution, retention, and excretion of labeled phosphorus, 339

U

Unna, Klaus. See *Singher, Kensler, Levy, Poore, Rhoads, and Unna*, 69

—. See *Singher, Kensler, Taylor, Rhoads, and Unna*, 79

Utter, M. F., Werkman, C. H., and Lipmann, Fritz. Reversibility of the phosphoroclastic split of pyruvate, 723

V

Van Slyke, Donald D., and **Archibald, Reginald M.** Manometric, titrimetric, and colorimetric methods for measurement of urease activity, 623

Van Wyk, J. J. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade*, 475

Velick, Sidney F. The chemistry of the lipids of tubercle bacilli. LXVI. Concerning the structure of tuberculostearic acid, 497

du Vigneaud, Vincent. See *Kilmer and du Vigneaud*, 247

W

Wade, Nelson J. See *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade*, 475

Werkman, C. H. See *Utter, Werkman, and Lipmann*, 723

Whittier, E. O. See *Ramsdell and Whittier*, 413

Wilson, D. Wright. See *Sakami and Wilson*, 215, 223

Woolley, D. W. Production of riboflavin deficiency with phenazine analogues of riboflavin, 31

Y

Young, J. M. See *Obermeyer, Fulmer, and Young*, 557

Young, Leslie, and **Zbarsky, S. H.** Mercapturic acids. V. The metabolic formation of *p*-fluorophenylmercapturic acid from fluorobenzene, 389

Z

Zbarsky, S. H. See *Young and Zbarsky*, 389

INDEX TO SUBJECTS

A

Acetic acid: Fatty acid synthesis, utilization, *Rittenberg and Bloch*, 311

Acetone: -Soluble fat, tuberculin cell residues, *Edens, Creighton, and Anderson*, 587

Acetone bodies: Determination, micro-, *Greenberg and Lester*, 177

Acid group(s): Proteins, determination, dye use, *Fraenkel-Conrat and Cooper*, 239

Aconite: Alkaloids, *Craig, Michaelis, Granick, and Jacobs*, 293

—, nitrogen, ring system and character, *Craig, Michaelis, Granick, and Jacobs*, 293

Adenine: Nucleotide, phosphate rejuvenation, *Kalckar* 267

Kalckar, Dehlinger, and Mehler, 275

Adenosine: Polyphosphates, liver, fatty acid oxidation, relation, *Lehninger*, 309

Alkaloid(s): Aconite, *Craig, Michaelis, Granick, and Jacobs*, 293

—, nitrogen, ring system and character, *Craig, Michaelis, Granick, and Jacobs*, 293

Aminoacetophenone: *p*-, thiamine determination, effect, *Sealock and Goodland*, 63

Amino acid(s): Action, rats, *Fishman and Artom*, 117

d-, oxidase, *Neurospora*, *Horowitz*, 141

Determination, manometric, errors, *Schott, Rockland, and Dunn*, 397

Enantiomorphs, utilization, ***Lactobacillus arabinosus* and *Lactobacillus casei*, *Stokes and Gunness***, 715

Liver fat, effect, *Beveridge, Lucas, and O'Grady*, 9

Nitrogen, shock effect, *Hoar and Haist*, 331

Peptides and, *Schott, Rockland, and Dunn*, 397

Proteins and, *Schott, Rockland, and Dunn*, 397

Amylase: β-, corn glycogen, effect, *Morris*, 503

See also Diastase

Anemia: Anti-, factor, chick, *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus*, 713

Antioxidant(s): Physiological, *György and Tomarelli*, 317

Apparatus: Tissue gas metabolism, determination *in vitro*, high oxygen pressure, *Stadie and Riggs*, 669

— slices, preparation, *Stadie and Riggs*, 687

Aspergillus clavatus: Clavacin, *Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade*, 475

Atabrine: Determination, photofluorometric, *Auerbach and Eckert*, 597

Escherichia coli growth inhibition, spermine, spermidine, and polyamines, effect, *Silverman and Evans*, 521

B

Bacillus: *See also* Tubercle bacillus

Bacteria: *See also Clostridium, Escherichia*

Base group(s): Proteins, determination, dye use, *Fraenkel-Conrat and Cooper*, 239

Bean: Soy. *See* Soy bean

Benzene: Fluoro-, *p*-fluorophenylmercapturic acid metabolic formation from, *Young and Zbarsky*, 389

Blood: Diastase, determination, *Myers, Free, and Rosinski*, 39

Fatty acids, volatile, determination, micro-, *McClendon*, 357

Blood cell(s): Red, protein-bound iodine, *McClendon and Foster*, 619

Blood plasma: Protein-bound iodine, *McClendon and Foster*, 619

Brain: Electrolytes, *Eichelberger and Richter*, 21

Nitrogen, *Eichelberger and Richter*, 21

Water, *Eichelberger and Richter*, 21

C

Carbon: Isotopic, methionine synthesis, *Kilmer and du Vigneaud,* 247

Carboxylase: Co-, hydrolysis, wheat phosphatase effect, *Obermeyer, Fulmer, and Young,* 557

Carboxylic acid: Pyrrolidone-, urine nitrogen partition, administration effect, *Pedersen and Lewis,* 705

Casein: Milk, *Ramsdell and Whittier,* 413

Catalase: -Hydrogen peroxide system, crystalline, temperature effect, *Sizer,* 461

Chick: Antianemia factor, *Scott, Norris, Heuser, Bruce, Coover, Bellamy, and Gunsalus,* 713

Vitamin B_c, effect, *Campbell, Brown, and Emmett,* 721

Choline: Action, rats, *Fishman and Artom,* 117

—, weanling rats, *Fishman and Artom,* 109

Dietary, gastrocnemius muscle creatine, effect, *Roberts and Eckstein,* 377

Phosphoryl-, *Baer and McArthur,* 451

Precursor, action, weanling rats, *Fishman and Artom,* 109

Clavacin: *Aspergillus clavatus, Katzman, Hays, Cain, Van Wyk, Reithel, Thayer, Doisy, Gaby, Carroll, Muir, Jones, and Wade,* 475

Clostridium butylicum: Extracts, pyruvic acid disassimilation, phosphate rôle, *Koepsell, Johnson, and Meek,* 535

Cocarboxylase: Hydrolysis, wheat phosphatase effect, *Obermeyer, Fulmer, and Young,* 557

Collagen: -Formaldehyde reaction, *Theis,* 87

Corn: Glycogen, β-amylase effect, *Morris,* 503

Creatine: Muscle, gastrocnemius, dietary choline effect, *Roberts and Eckstein,* 377

D

Diastase(s): Animal, *Myers, Free, and Rosinski,* 39

Blood, determination, *Myers, Free, and Rosinski,* 39

See also Amylase

Dicumarol: Urine salicylates, administration effect, *Lester,* 305

Diet: Tissue phospholipids, relation, *Fishman and Artom,* 109, 117

Diiodotyrosine: Thyroid, iodide, inorganic, *in vitro,* effect, *Morton, Chaikoff, and Rosenfeld,* 381

Dye(s): Proteins, acid and base groups, determination, *Fraenkel-Conrat and Cooper,* 239

E

Electrolyte(s): Brain, *Eichelberger and Richter,* 21

Enzyme(s): Glutamine determination, *Archibald,* 643

Nucleotides, polyphosphorylated, phosphate groups, separation, *Kalckar,* 267

See also Amylase, Catalase, Cocarboxylase, Glutaminase, Leucylpeptidase, Oxidase, Peroxidase, Phosphatase, Urease

Epoxide(s): 1,2-, proteins, action, *Fraenkel-Conrat,* 227

Escherichia coli: Growth, atabrine inhibition, spermine, spermidine, and polyamines, effect, *Silverman and Evans,* 521

Estradiol: Liver, inactivation, vitamin deficiency effect, *Singher, Kensler, Taylor, Rhoads, and Unna,* 79

F

Fat(s): Acetone-soluble, tuberculin cell residues, *Edens, Creighton, and Anderson,* 587

Liver, amino acid effect, *Beveridge, Lucas, and O'Grady,* 9

—, protein effect, *Beveridge, Lucas, and O'Grady,* 9

Milk, human, fatty acids, *Baldwin and Longenecker,* 255

Fatty acid(s): Milk fat, human, *Baldwin and Longenecker*, 255
Oxidation, liver, adenosine polyphosphates, relation, *Lehninger*, 309
Synthesis, acetic acid utilization, *Rittenberg and Bloch*, 311
Volatile, blood, determination, micro-, *McClendon*, 357
Fibroin: Silk, hydrolysis, aromatic sulfonic acids, use, *Stein, Moore, and Bergmann*, 191
Fluorobenzene: *p*-Fluorophenylmercapturic acid metabolic formation from, *Young and Zbarsky*, 389
Fluorophenylmercapturic acid: *p*-, metabolic formation, fluorobenzene relation, *Young and Zbarsky*, 389
Foodstuff(s): Leucine determination, *Neurospora* mutant, use, *Ryan and Brand*, 161
Formaldehyde: Collagen-, reaction, *Theis*, 87
Protein-, reaction, *Theis*, 87
Theis and Lams, 99
Wool-, reaction, *Theis and Lams*, 99

G

Gas: Tissue, metabolism, determination *in vitro*, high oxygen pressure, apparatus, *Stadie and Riggs*, 669
Gastrocnemius: Muscle, creatine, dietary choline effect, *Roberts and Eckstein*, 377
Gluconic acid: 5-Keto-D-, determination, *Militzer*, 325
Glucose: -Maltose mixtures, sugar determination, micro-, *Morris*, 561
Glucoside(s): Methyl, substituted, copper complexes, optical activity, *Reeves*, 49
Glutamic acid: Urine nitrogen partition, administration effect, *Pedersen and Lewis*, 705
Glutaminase: Glutamine determination, *Archibald*, 657
Preparation, *Archibald*, 657
Glutamine: Determination, enzymatic, *Archibald*, 643
—, glutaminase use, *Archibald*, 657
Glycogen: Corn, β-amylase effect, *Morris*, 503
Gramicidin: Valylvaline, chemical constitution, *Christensen*, 427
Growth: *Escherichia coli*, atabrine, spermine, spermidine, and polyamines, effect, *Silverman and Evans*, 521

H

Hemin(s): Oxidations, catalyzed, *Simon, Horwitt, and Gerard*, 421
Histidine: *dl*-1-Methyl-, metabolism, *Sakami and Wilson*, 223
—, synthesis, *Sakami and Wilson*, 215
1-Methyl-, *Sakami and Wilson*, 215, 223
Hydrogen peroxide: Catalase-, crystalline, system, temperature effect, *Sizer*, 461
Hydroxyleucine(s): *Dakin*, 549
Hydroxyproline: Urine nitrogen partition, administration effect, *Pedersen and Lewis*, 705

I

Iodide: Inorganic, thyroid thyroxine and diiodotyrosine formation *in vitro*, effect, *Morton, Chaikoff, and Rosenfeld*, 381
Iodine: Biological materials, determination, micro-, chlorate digestion method, *Shahrokh*, 517
Protein-bound, blood cells, red, and blood plasma, *McClendon and Foster*, 619

K

Keratin(s): Chemistry, *Edwards and Routh*, 593
Keto acids(s): Formation, phosphoroclastic reaction, *Lipmann and Tuttle*, 725
Keto-D-gluconic acid: 5-, determination, *Militzer*, 325
Ketone bodies: Determination, micro-, *Greenberg and Lester*, 177

L

Lactobacillus arabinosus: Amino acid enantiomorphs, utilization, *Stokes and Gunness*, 715

Lactobacillus casei: Amino acid enantiomorphs, *Stokes and Gunness*, 715
Leucine(s): Foodstuffs, determination, *Neurospora* mutant, use, *Ryan and Brand*, 161
Hydroxy, *Dakin*, 549
-Lacking strain, *Neurospora crassa* mutant, *Regnery*, 151
Protein hydrolysates, determination, *Neurospora* mutant, use, *Ryan and Brand*, 161
Leucylpeptidase: Muscle, preparation and action, *Schwimmer*, 361
Lipid(s): Liver, sulfur-containing compounds, effect, *Roberts and Eckstein*, 367
Phospho-. *See* Phospholipid
Tubercle bacillus, chemistry, *Velick*, 497
Creighton, Chang, and Anderson, 569
Creighton and Anderson, 581
Edens, Creighton, and Anderson, 587
— —, human, dextrose-containing medium, chemistry, *Creighton, Chang, and Anderson*, 569
Tuberculin cell residues, *Creighton and Anderson*, 581
Liver: Estradiol inactivation, vitamin deficiency effect, *Singher, Kensler, Taylor, Rhoads, and Unna*, 79
Fat, amino acid effect, *Beveridge, Lucas, and O'Grady*, 9
—, protein effect, *Beveridge, Lucas, and O'Grady*, 9
Fatty acid oxidation, adenosine polyphosphates, relation, *Lehninger*, 309
Lipid, sulfur-containing compounds, effect, *Roberts and Eckstein*, 367
Phosphate compounds, labile, rejuvenation rate, *Kalckar, Dehlinger, and Mehler*, 275
Thiamine and riboflavin interrelation, *Singher, Kensler, Levy, Poore, Rhoads, and Unna*, 69

M

Maltose: -Glucose mixtures, sugar determination, micro-, *Morris*, 561
Mercapturic acid(s): *Young and Zbarsky*, 389
p-Fluorophenyl-, metabolic formation, fluorobenzene relation, *Young and Zbarsky*, 389
Methionine: Synthesis, isotopic carbon- and sulfur-containing, *Kilmer and du Vigneaud*, 247
Methyl glucoside(s): Substituted, copper complexes, optical activity, *Reeves*, 49
Methylhistidine: *dl*-1-, metabolism, *Sakami and Wilson*, 223
—, synthesis, *Sakami and Wilson*, 215
1-, *Sakami and Wilson*, 215, 223
Microtome: Tissue slices, preparation, *Stadie and Riggs*, 687
Milk: Casein, *Ramsdell and Whittier*, 413
Human, fat, fatty acids, *Baldwin and Longenecker*, 255
Mold: *See also Aspergillus, Neurospora*
Muscle: Gastrocnemius, creatine, dietary choline effect, *Roberts and Eckstein*, 377
Leucylpeptidase, preparation and action, *Schwimmer*, 361
Phosphate compounds, labile, rejuvenation rate, *Kalckar, Dehlinger, and Mehler*, 275

N

Neurospora: *d*-Amino acid oxidase, *Horowitz*, 141
Mutant, leucine determination, *Ryan and Brand*, 161
Ornithine cycle, genetic control, *Srb and Horowitz*, 129
Neurospora crassa: *Leucineless* strain, *Regnery*, 151
Nicotinamide: Excessive feeding, effect, *Handler*, 203
Nitrogen: Aconite alkaloids, ring system and character, *Craig, Michaelis, Granick, and Jacobs*, 293
Amino acid, shock effect, *Hoar and Haist*, 331
Brain, *Eichelberger and Richter*, 21
Urine, partition, glutamic acid administration effect, *Pedersen and Lewis*, 705

Nitrogen—*continued:*
Urine, partition, hydroxyproline administration effect, *Pedersen and Lewis*, 705
—, —, proline administration effect, *Pedersen and Lewis*, 705
—, —, pyrrolidonecarboxylic acid administration effect, *Pedersen and Lewis*, 705
Nucleotide(s): Adenine, phosphate rejuvenation, *Kalckar*, 267
Kalckar, Dehlinger, and Mehler, 275
Polyphosphorylated, phosphate groups, enzymatic separation, *Kalckar*, 267

O

Octadecenoic acid(s): Naturally occurring, isolation and properties, *Millican and Brown*, 437
Oleic acid: Naturally occurring, isolation and properties, *Millican and Brown*, 437
Ornithine: Cycle, *Neurospora*, genetic control, *Srb and Horowitz*, 129
Oxalic acid: Urine, determination, *Powers and Levatin*, 207
Oxidase: *d*-Amino acid, *Neurospora*, *Horowitz*, 141
Oxygen: Pressure, high, tissue gas metabolism, determination *in vitro*, apparatus, *Stadie and Riggs*, 669
Oxytocic principle: Pituitary extract, posterior, *Potts and Gallagher*, 349

P

Pantothenic acid: Tryptophane synthesis, effect, *Sevag and Green*, 719
Parathyroid: Extract, phosphorus, labeled, effect, *Tweedy and Campbell*, 339
Peanut: Proteins, tryptophane and tyrosine, *Brown*, 57
Peptidase: Leucyl-, muscle, preparation and action, *Schwimmer*, 361
Peptide(s): Amino acids and, *Schott, Rockland, and Dunn*, 397
Proteins and, *Schott, Rockland, and Dunn*, 397
Sulfonic acids, aromatic, reagents, *Stein, Moore, and Bergmann*, 191
Peroxidase: Heat-inactivated, regeneration, *Schwimmer*, 487
Phenazine: Riboflavin analogues, riboflavin deficiency relation, *Woolley*, 31
Phosphatase: Wheat, cocarboxylase hydrolysis, effect, *Obermeyer, Fulmer, and Young*, 557
Phosphate(s): Adenine nucleotides, rejuvenation, *Kalckar*, 267
Kalckar, Dehlinger, and Mehler, 275
Nucleotides, polyphosphorylated, enzymatic separation, *Kalckar*, 267
Pyruvic acid disassimilation, *Clostridium butylicum* extracts, rôle, *Koepsell, Johnson, and Meek*, 535
Phosphate compound(s): Labile, liver, rejuvenation rate, *Kalckar, Dehlinger, and Mehler*, 275
—, muscle, rejuvenation rate, *Kalckar Dehlinger, and Mehler*, 275
Phospholipid(s): Propamidine antibacterial action, effect, *Elson*, 717
Tissue, diet relation, *Fishman and Artom*, 109, 117
Phosphorus: Labeled, parathyroid extract effect, *Tweedy and Campbell*, 339
Phosphorylcholine: *Baer and McArthur*, 451
Pituitary extract(s): Posterior, oxytocic and pressor principles, separation, *Potts and Gallagher*, 349
Polyamine(s): *Escherichia coli* growth, atabrine inhibition effect, *Silverman and Evans*, 521
Polysaccharide(s): Copper complexes, optical activity, *Reeves*, 49
Potassium: Determination, microbiological, *Rogosa*, 307
Pressor principle: Pituitary extract, posterior, *Potts and Gallagher*, 349
Proline: Hydroxy-, urine nitrogen partition, administration effect, *Pedersen and Lewis*, 705
Urine nitrogen partition, administration effect, *Pedersen and Lewis*, 707
Propamidine: Antibacterial action, phospholipid effect, *Elson* 717

Protein(s): Acid groups, determination, dye use, *Fraenkel-Conrat and Cooper*, 239
Amino acids and, *Schott, Rockland, and Dunn*, 397
Base groups, determination, dye use, *Fraenkel-Conrat and Cooper*, 239
-Bound iodine, blood cells, red, and blood plasma, *McClendon and Foster*, 619
1,2-Epoxides, action, *Fraenkel-Conrat*, 227
-Formaldehyde reaction, *Theis*, 87
Theis and Lams, 99
Hydrolysates, leucine determination, *Neurospora* mutant, use, *Ryan and Brand*, 161
Liver fat, effect, *Beveridge, Lucas, and O'Grady*, 9
Peanut, tryptophane and tyrosine, *Brown*, 57
Peptides and, *Schott, Rockland, and Dunn*, 397
Proteolytic substance: Soy bean extract, *Ham and Sandstedt*, 505
Pyridoxal: Chemical constitution and synthesis, *Harris, Heyl, and Folkers*, 315
Vitamin activity, *Snell*, 313
Pyridoxamine: Chemical constitution and synthesis, *Harris, Heyl, and Folkers*, 315
Vitamin activity, *Snell*, 313
Pyrrolidonecarboxylic acid: Urine nitrogen partition, administration effect, *Pedersen and Lewis*, 705
Pyruvate(s): Phosphoroclastic split, *Utter, Werkman, and Lipmann*, 723
Pyruvic acid: Disassimilation, *Clostridium butylicum* extracts, phosphate rôle, *Koepsell, Johnson, and Meek*, 535

Q

Quinine: Metabolic derivative, chemical constitution, *Mead and Koepfli*, 507
Quinone(s): Vitamin K non-quinones, conversion to, *Richert*, 1

R

Riboflavin: Phenazine analogues, deficiency relation, *Woolley*, 31
Thiamine and, liver, interrelation, *Singher, Kensler, Levy, Poore, Rhoads, and Unna*, 69
Rickettsia prowazeki: *Cohen and Chargaff*, 691

S

Salicylate(s): Urine, dicumarol administration effect, *Lester*, 305
Shock: Amino acid nitrogen, effect, *Hoar and Haist*, 331
Silk: Fibroin, hydrolysis, aromatic sulfonic acids, use, *Stein, Moore, and Bergmann*, 191
Soy bean: Extract, proteolytic substance, *Ham and Sandstedt*, 505
Spermidine: *Escherichia coli* growth, atabrine inhibition, effect, *Silverman and Evans*, 521
Spermine: *Escherichia coli* growth, atabrine inhibition, effect, *Silverman and Evans*, 521
Stearic acid: Tuberculo-, chemical constitution, *Velick*, 497
Steroid(s): Urine, determination, periodic acid reaction, *Talbot and Eitingon*, 605
Sulfonic acid(s): Aromatic, peptide reagents, *Stein, Moore, and Bergmann*, 191
—, silk fibroin hydrolysis, use, *Stein, Moore, and Bergmann*, 191
Sulfur: -Containing compounds, liver lipids, effect, *Roberts and Eckstein*, 367
Isotopic, methionine synthesis, *Kilmer and du Vigneaud*, 247

T

Thiamine: Determination, *p*-aminoacetophenone effect, *Sealock and Goodland*, 63
Riboflavin and, liver, interrelation, *Singher, Kensler, Levy, Poore, Rhoads, and Unna*, 69

Thyroid: Diiodotyrosine, iodide, inorganic, *in vitro*, effect, *Morton, Chaikoff, and Rosenfeld*, 381
Thyroxine, iodide, inorganic, *in vitro*, effect, *Morton, Chaikoff, and Rosenfeld*, 381
Thyroxine: Thyroid, iodide, inorganic, *in vitro*, effect, *Morton, Chaikoff, and Rosenfeld*, 381
Tissue(s): Gas metabolism determination, *in vitro*, high oxygen pressure, apparatus, *Stadie and Riggs*, 669
Phospholipids, diet relation, *Fishman and Artom*, 109, 117
Slices, preparation, microtome, *Stadie and Riggs*, 687
Tryptophane: Peanut proteins, *Brown*, 57
Synthesis, pantothenic acid effect, *Sevag and Green*, 719
Tubercle bacillus: Human, lipids, dextrose-containing medium, chemistry, *Creighton, Chang, and Anderson*, 569
Lipids, chemistry, *Velick*, 497
Creighton, Chang, and Anderson, 569
Creighton and Anderson, 581
Edens, Creighton, and Anderson, 587
Tuberculin: Cell residues, acetone-soluble fat, *Edens, Creighton, and Anderson*, 587
— —, lipids, *Creighton and Anderson*, 581
Tuberculostearic acid: Chemical constitution, *Velick*, 497
Tyrosine: Diiodo-, thyroid, iodide, inorganic, *in vitro*, effect, *Morton, Chaikoff, and Rosenfeld*, 381
Peanut proteins, *Brown*, 57

U

Urease: Activity, determination, manometric, titrimetric, and colorimetric, *Van Slyke and Archibald*, 623
Urine: Nitrogen partition, glutamic acid administration effect, *Pedersen and Lewis*, 705
— —, hydroxyproline administration effect, *Pedersen and Lewis*, 705
— —, proline administration effect, *Pedersen and Lewis*, 705
— —, pyrrolidonecarboxylic acid administration effect, *Pedersen and Lewis*, 705
Oxalic acid determination, *Powers and Levatin*, 207
Salicylates, dicumarol administration effect, *Lester*, 305
Steroids, determination, periodic acid reaction, *Talbot and Eitingon*, 605

V

Valine: Valyl-, gramicidin, chemical constitution, *Christensen*, 427
Valylvaline: Gramicidin, chemical constitution, *Christensen*, 427
Vitamin(s): Action, rats, *Fishman and Artom*, 117
B_c. crystalline, chick nutrition, effect, *Campbell, Brown, and Emmett*, 721
Deficiency, liver estradiol inactivation, effect, *Singher, Kensler, Taylor, Rhoads, and Unna*, 79
K, non-quinones, conversion to quinone, *Richert*, 1
Pyridoxal relation to, *Snell*, 313
Pyridoxamine relation to, *Snell*, 313

W

Water: Brain, *Eichelberger and Richter*, 21
Wheat: Phosphatase, cocarboxylase hydrolysis effect, *Obermeyer, Fulmer, and Young*, 557
Wool: -Formaldehyde reaction, *Theis and Lams*, 99

X

Xanthopterin: Synthetic, preparation, *Totter*, 105